

## AXOR Uno

**Single lever bath mixer for concealed installation zero handle with integrated security combination according to EN1717**

Surfaces: **Polished Brass** Article Number: **45407930**



### Description


#### product features

- connection type: basic set
- ceramic cartridge
- min. operating pressure: 1 bar
- max. operating pressure: 10 bar
- temperature limitation adjustable
- with automatic resetting
- with silencer
- suitable for continuous flow water heaters
- with integrated safety combination EN 1717

### Product image



### Scale drawing




## AXOR Uno

Single lever bath mixer for concealed installation zero handle with integrated security combination according to EN1717

Surfaces: **Polished Brass** Article Number: **45407930**



### Flowchart



## AXOR Uno


Single lever bath mixer for concealed installation zero handle with integrated security combination according to EN1717

Surfaces: **Polished Brass** Article Number: **45407930**



### Exploded Drawing

Year of production: >04/17



## AXOR Uno

Single lever bath mixer for concealed installation zero handle with integrated security combination according to EN1717

Surfaces: **Polished Brass** Article Number: **45407930**



### Spare part list

Year of production: >04/17

Pos.	Description	Article Number	PC	PU
1	handle	93038930	0	1
2	diverter knob	96473930	0	1
3	hollow set screw M4x10	97667000	0	1
4	escutcheon Ø 170 mm	95806930	0	1
5	O-Ring 48x3	95508000	0	1
6	O-ring 29x3	98371000	0	1
7	flange	98684930	0	1
8	O-ring 43x1,5	98148000	0	1
9	sleeve	96448930	0	1
10	sub plate	96447000	0	1
11	set of fixing screws	96454000	0	1
12	nut	98796000	0	1
13	O-ring 30x1,5	98433000	0	1
14	O-ring 39x1,5	98400000	0	1
15	cartridge, assy	92730000	0	1
16	locking screw for handle	95140000	0	1
17	seal	95008000	0	1
18	selector assy	95014000	0	1
19	O-ring 17x2	98199000	0	1
20	O-ring 20x2,5	92602000	0	1
21	set of screws	96525000	0	1
22	non return valve	96655000	0	1
23	O-ring 19x2	98426000	0	1
24	vacuum breaker	96753000	0	1
25	O-Ring 22x2	98185000	0	1
26	O-ring 16x2	98133000	0	1
27	noise reduction	94073000	0	1
28	extension 25 mm	13595000	0	1
29	set of fixing screws	97747000	0	1
30	extension 22 mm (Ø 170 mm)	13596930	0	1
31	escutcheon height = 33 mm (when wall is not deep enough).	14961930	0	1