

**AXOR One**  
**Thermostatic module for concealed installation for 1 function**  
 Surfaces: **Chrome** Article Number: **45711000**




## Description

### product features

- Eco-Function: flow rate regulation via lever handle
- depending on volume flow and installation situation approx. 50% flow rate reduction
- 1 function and 1 additional outlet
- comfortable turning on / off of consumers with large Select-paddle
- maximum flow rate at 3 bar: 24 l/min
- thermostat cartridge, Start/stop valve to operate the functions
- safety lock at 40° C
- temperature limitation adjustable
- the thermostat offers the possibility for thermal disinfection
- non-return valve
- connection type: basic set
- min. operating pressure: 1 bar
- Thermostat is delivered with button hand shower


## Technology



## Product image




## Scale drawing



**AXOR One**  
**Thermostatic module for concealed installation for 1 function**  
 Surfaces: **Chrome**    Article Number: **45711000**



## Flowchart




**AXOR One**  
**Thermostatic module for concealed installation for 1 function**  
 Surfaces: **Chrome**    Article Number: **45711000**



## Exploded Drawing

Year of production: >10/15



**AXOR One**  
**Thermostatic module for concealed installation for 1 function**  
 Surfaces: **Chrome**    Article Number: **45711000**



## Spare part list

Year of production: >10/15

| Pos. | Description                                       | Article Number | Price | PU |
|------|---------------------------------------------------|----------------|-------|----|
| 1    | handle for thermostat                             | 92600000       | -     | 1  |
| 2    | handle fixing set                                 | 98932000       | -     | 1  |
| 3    | O-ring 57x2                                       | 98210000       | -     | 1  |
| 4    | escutcheon                                        | 92598000       | -     | 1  |
| 5    | hexagon socket screw M5x25                        | 97664000       | -     | 1  |
| 6    | control panel                                     | 92611000       | -     | 1  |
| 7    | set of symbols                                    | 92541000       | -     | 1  |
| 8    | O-ring 13x2                                       | 98128000       | -     | 1  |
| 9    | set of lever collars                              | 93121000       | -     | 1  |
| 10   | shut off unit                                     | 98536000       | -     | 1  |
| 11   | shut off unit                                     | 95758000       | -     | 1  |
| 12   | nut                                               | 98368000       | -     | 1  |
| 13   | safety set                                        | 92614000       | -     | 1  |
| 14   | nut                                               | 98913000       | -     | 1  |
| 15   | O-ring 26x1,5                                     | 98390000       | -     | 1  |
| 16   | thermostat cartridge                              | 98282000       | -     | 1  |
| 17   | cartridge for exchanged connections               | 92373000       | -     | 1  |
| 18   | O-ring 21x1,5                                     | 98219000       | -     | 1  |
| 19   | O-ring 17x1,5                                     | 98137000       | -     | 1  |
| 20   | O-ring 11x2                                       | 98127000       | -     | 1  |
| 21   | non return valve (pressure-resistant up to 2 MPa) | 92594000       | -     | 1  |
| 22   | extension 25 mm                                   | 45790000       | -     | 1  |
| a    | base body                                         | 45710180       | -     | 1  |