


SHOWER TRAYS (ACRYLIC, QUARYL) SQUARO INFINITY

PRODUCT INFORMATION

1 . POSITION



Model	UDQ1380SQI2IV
Collection	Squaro Infinity
PROJECTS	DESIGN
Width	800 mm
Height	40 mm
Depth	15 mm
Length	1300 mm
Weight	29 kg
description	<p>only flush-fit installation</p> <p>Technical information:: Cut shower tray (side unprocessed)., Drainage capacity: 48 l/min, The installation height of the shower tray can be reduced by 30 mm if the Viega outlet fitting art. no. 634 100 is used. Please note: this outlet fitting does not conform to EN 274., All shower trays are classified as anti-slip class C (in accordance with DIN51097), Surface-mounted models can be fitted in a niche or flush-fit with the floor., Quarryl shower trays can be cut to size on site according to the installation instructions; detailed video at pro.villeroy-boch.com/squaroinfinity or QR code on this page.</p> <p>These shower trays are cut along the short side.</p> <p>Outlet cover in matching matt colour with chrome-plated strip., The extra charge for cutting already in the total price!</p> <p>Not included in scope of delivery:: All shower trays are supplied without support/base., With cut shower trays, we recommend the use of a composite seal in accordance with ETAG 022 on the floor structure below the shower tray in order to prevent any moisture from penetrating the floor structure.</p> <p>Diameter: 90 mm</p>
material	Quaryl®

Specification texts

Squaro Infinity; Shower tray; Size: 1300 x 800 x 40 mm; Quarry!®; only flush-fit installation; Outlet cover in matching matt colour with chrome-plated strip., **The extra charge for cutting already in the total price!**; Not included in scope of delivery:: All shower trays are supplied without support/base., With cut shower trays, we recommend the use of a composite seal in accordance with ETAG 022 on the floor structure below the shower tray in order to prevent any moisture from penetrating the floor structure.; Diameter: 90 mm; Technical information:: Cut shower tray (side unprocessed)., Drainage capacity: 48 l/min, The installation height of the shower tray can be reduced by 30 mm if the Viega outlet fitting art. no. 634 100 is used. Please note: this outlet fitting does not conform to EN 274., All shower trays are classified as anti-slip class C (in accordance with DIN51097), **Surface-mounted models can be fitted in a niche or flush-fit with the floor., Quarry! shower trays can be cut to size on site according to the installation instructions; detailed video at pro.villeroy-boch.com/squaroinfinity or QR code on this page.**; These shower trays are cut along the short side.

COLOURS




Anthracite	UDQ1380SQI2IV-1S	4051202456023
Crème	UDQ1380SQI2IV-2S	4051202457235
Grey	UDQ1380SQI2IV-3S	4051202458447
Brown	UDQ1380SQI2IV-4S	4051202459659
Stone White	UDQ1380SQI2IV-RW	4051202851774

TECHNICAL DRAWINGS

UDQ1380SQI2IV
SQUARO INFINITY
UDQ1380SQI2I

Villeroy & Boch

- This drawing is for information only.
- Dimensions on the actual product can vary slightly from those shown on this drawing.
- Claims about wrong dimensions on product or drawing will not be accepted.



TECHNICAL DRAWINGS

UDQ1380SQI2IV
SQUARO INFINITY
UDQ1380SQI2I

Villeroy & Boch
 • This drawing is for information only.
 • Dimensions on the actual product can vary slightly from those shown on this drawing.
 • Claims about wrong dimensions on product or drawing will not be accepted.

