


# SHOWER TRAYS (CERAMICS) SUBWAY INFINITY

## PRODUCT INFORMATION

### 1 . POSITION




<b>Model</b>	<b>6228H3</b>
Collection	Subway Infinity
PROJECTS	DESIGN
Width	800 mm
Height	40 mm
Length	900 mm
Weight	30,24 kg
description	<p>Ceramic not available in CeramicPlus <b>These shower trays are cut along four sides (unglazed) and can be used for flush installation only.</b> Total price includes the surcharge for cutting!, Orders that we have confirmed for custom-made shower trays cannot be cancelled or altered., The installation height of the shower can be reduced by 30mm if outlet fitting 9226 00 XX is used. Please note: this outlet fitting does not conform to EN 274., *Shower trays marked with an asterisk can only be installed with Mepa installation system art. no. 9223 76 or in a mortar bed. Ceramic available in White Alpin (01) with anti-slip class B (PN18), Taupe (TP), Ardoise (W9) and ViPrint décors with anti-slip class A (PN12). slip-resistant</p>
material	Ceramic
Specification texts	Subway Infinity; Shower tray; Ceramic; Size: 900 x 800 x 40 mm; Rectangle

## COLOURS

White Alpin	6228H301	4051202469139
Taupe Anti-slip	6228H3TP	4051202469146
Lodge Beige-Effect	6228H3VPA1	4051202468231
X-Plane Creme-Effect	6228H3VPA2	4051202468224
X-Plane Anthracite-Effect	6228H3VPA3	4051202468217
Lodge Dark Brown	6228H3VPA6	4051202516451
Bernina Beige-Effect	6228H3VPA7	4051202517205
Bernina Anthracite Matt	6228H3VPA8	4051202516918
Upper Side Greige-Effect	6228H3VPB6	4051202519278
Upperside Anthracite Effect	6228H3VPB9	4051202517366
Townhouse	6228H3VPC0	4051202518110
Abbey Grey	6228H3VPC1	4051202517823
Abbey Blue	6228H3VPC2	4051202512378
Palazzo	6228H3VPC3	4051202512606
Nordic Creek	6228H3VPC8	4051202510893
Blue Lagoon	6228H3VPC9	4051202511906
Star Flower	6228H3VPD0	4051202511616
Sinus Black	6228H3VPD1	4051202514440
Sinus White	6228H3VPD2	4051202514679
Eternity	6228H3VPD3	4051202514389
Ardoise Anti-slip	6228H3W9	4051202469160
Drift Wood	6228H3VPC6	4051202512774
Highland Stone	6228H3VPC7	4051202511449

TECHNICAL DRAWINGS


**6228H3**



	A	B	D	N
6232 34	1500	900	750	450
6232 33	1500	800	750	400
6232 32	1500	750	750	375
6232 V4	1400	900	700	450
6232 V3	1400	800	700	400
6232 V2	1400	750	700	375
6232 N4	1200	900	600	450
6231 Q3	1200	800	600	400
6231 Q2	1200	750	600	375
6231 Q1	1200	700	600	350
6230 L3	1000	800	500	400
6230 L2	1000	750	500	375
6230 L1	1000	700	500	350
6229 H2	900	750	450	375
6229 H1	900	700	450	350
6229 C2	800	750	400	375
6228 H4	900	900	450	450
6228 H3	900	800	450	400
6228 C3	800	800	400	400

TECHNICAL DRAWINGS

**6228H3**



	A	B	D	N
6232 34	1500	900	750	450
6232 33	1500	800	750	400
6232 32	1500	750	750	375
6232 V4	1400	900	700	450
6232 V3	1400	800	700	400
6232 V2	1400	750	700	375
6232 N4	1200	900	600	450
6231 Q3	1200	800	600	400
6231 Q2	1200	750	600	375
6231 Q1	1200	700	600	350
6230 L3	1000	800	500	400
6230 L2	1000	750	500	375
6230 L1	1000	700	500	350
6229 H2	900	750	450	375
6229 H1	900	700	450	350
6229 C2	800	750	400	375
6228 H4	900	900	450	450
6228 H3	900	800	450	400
6228 C3	800	800	400	400