VOLA SpecSheet 1/3	
	Date:
	Client:
	Project:
VOLA product: 4811	
	4811 Build-in basin tap with on-off sensor for 'hands free' operation. Sensor aligned with wall. Valve box VR2617 included.4811UP = Valve 4800, sensor cable VR509.4811AP = 160 mm spout 010, sensor VR510, 60 mm circular flanges 001, VR512. Ada approved.
	Bar: 1.0 2.0 3.0 4.0 5.0 4811 (I/min) 2.9 4.1 5.0 5.0 5.0 4811 ¹⁾ (I/min) 2.6 3.7 4.5 4.5 4.5 *) USA Standard
$ \begin{array}{c} 156 \text{ mm} \\ 6 1/8" \\ \hline 0 \\ \hline \hline 0 \\ \hline 0 \\ \hline \hline \hline \hline 0 \\ \hline \hline \hline \hline \hline \hline \hline 0 \\ \hline \hline$	Available in colors Color 02, Grey Color 04, Light blue Color 05, Orange Color 06, Light green Color 08, Yellow Color 09, Dark grey Color 12, Mocca Color 14, Bright red Color 15, Dark blue Color 16, Polished chrome Color 17, Gloss black Color 18, White Color 19, Natural brass Color 20, Brushed chrome Color 21, Carmine red Color 25, Pink Color 27, Matt black Color 40, Brushed stainless steel
SINTEF WRASS SIGN STEF STONE	SITAC KARA STATE



