VOLA SpecSheet		1/4
	Date:	
	Client:	
	Project:	

VOLA product: 4911VSX




## 4911VSX

Build-in basin mixer with on-off sensor for 'hands free' operation. For vertical mounting. Sensor aligned with wall. Valve box VR2618 included. 4911VSXUP = Mixer 4900VSX, sensor cable VR509. 4911VSXAP = Handle NR41, sensor VR510, 160 mm spout 010, 60 mm circular flanges 001, 3001, VR512.

Ada approved.

## Flow

	Bar:	1.0	2.0	3.0	4.0	5.0
4911VSX	(l/min)	2.9	4.1	5.0	5.0	5.0
4911VSX 1)	(l/min)	2.6	3.7	4.5	4.5	4.5
1) LISA Standard	1					



## Available in colors

Color 02, Grey

Color 04, Light blue

Color 05, Orange

Color 06, Light green

Color 08, Yellow

Color 09, Dark grey

Color 12, Mocca

Color 14, Bright red

Color 15, Dark blue

Color 16, Polished chrome

Color 17, Gloss black

Color 18, White

Color 19, Natural brass

Color 20, Brushed chrome

Color 21, Carmine red

Color 25, Pink

Color 27, Matt black

Color 40, Brushed stainless steel

VOLA SpecSheet	2/4
	Date:
	Client:
	Project:
001 60 mm circular flange. Hole Ø33 mm.	233 mm
3001 60 mm circular flange. Hole Ø36 mm.	336 mm 20 11/2 000 E
4900VSX Build-in basin mixer with on-off sensor for 'hands free' operation, with temperature regulation, mixer to the right. Valve box for electronic mixer, VR2618 enclosed.	392 mm 15 1/2" 156 mm 78 mm 6 1/8" 3 1/16"  207 mm 260 mm 260 mm 2 30/4"  1/2" 1/2" NPT  68 mm 2 30/4" 10" 2 3/4"

VOLA SpecSheet	3/4
( ) CENT OPOCONIOSI	Date:
	Client:
	Project:
NR41 Temperature control handle for wall-mounted electronic mixer 4100.	38 mm 111/2"
VR2618 Box for Electronic HV1E/4100/4900	33 mm  7"  2 1/8"  33 mm  2 5/8"  US 9/16"  US 9/16"  US 9/16"  3/8"  3/8"  3/8"
VR510 Sensor for electronic tap 4300, 4800 and 4900.	Ø38 mm Ø1 1/2"

VOLA SpecSheet	4/4
	Date:
	Client:
	Project:
VR512 60 mm circular flange. Hole Ø38 mm for 4300, 4800 and 4900.	038 mm 02.1/2" 038 mm 03.7 mm 02.3/8" 1.1/2"