


**VOLA HV1, HV3, HV4**

Fitting instruction  
 Montageanleitung  
 Monteringsvejledning  
 Monteringsvægledning  
 Montage hanleiding  
 Manuel de montage




HV1, HV3:  
 04/00020  
 04/00028



HV1, HV3	L	H	h
Std.:	114 mm 4 1/2"	120 mm 4 3/4"	27 mm 1"
+30:	114 mm 4 1/2"	150 mm 6"	56 mm 2 1/4"
/150:	150 mm 6"	120 mm 4 3/4"	27 mm 1"
+30/150:	150 mm 6"	150 mm 6"	56 mm 2 1/4"
+170:	114 mm 4 1/2"	290 mm 11 1/2"	197 mm 7 3/4"
+170/150:	150 mm 6"	290 mm 11 1/2"	197 mm 7 3/4"





**HV1:**







**Data, 3 Bar:**

Max.	l/min.	Gal/min.
HV1/3:	5,0	1,3
HV4	9,0	2,0


Max. 70°C, 158°F








- VR277K: VR22, VR269, VR277
- VR17L5K: VR15P, VR16L5, VR17L
- VR297: VR20, VR22, VR269, VR273, VR277, VR294, VR295, VR296
- VR433: VR261, VR263, VR440, VR442, 2xVR444
- NR.10: VR20, VR22, VR273, VR294, VR295




**VOLA A/S**  
 Lunavej 2  
 DK-8700 Horsens  
 Tlf : + 45 7023 5500  
 Fax: + 45 7023 5511  
 sales@vola.com  
 www.vola.com

# VOLA HV1

Dato	Mar. 11
Rev.	6
Blad	SB21.1



VR277K: VR22, VR269, VR277  
 VR17LK5: VR15P, VR16L5, VR17L  
 VR433: VR261, VR263, VR440, VR442, 2xVR444  
 NR.10: VR20, VR22, VR273, VR274, VR275



**Vola A/S**  
 Lunavej 2  
 DK-8700 Horsens  
 Tlf : + 45 7023 5500  
 Fax: + 45 7023 5511  
 sales@vola.com  
 www.vola.com

**VOLA HV1**

Dato	Sep 09
Rev.	5
Blad	SB21.1