

VOLA product: 871R-081D



## 871R-081D

Project:


Two-handle build-in mixer with  $\frac{1}{4}$  turn ceramic disc technology and diverter.871R-081DUP = Mixer 800N.871R-081DAP = 2 pcs. handles NR17, handle NR19G, hand shower and hand shower holder with nonreturn valve 070R, hose 1500 mm, double head shower 080D, 5 pcs. 60 mm circular flanges 001.

## Flow

	Bar:	1.0	2.0	3.0	4.0	5.0
070R 1)	(l/min)	5.2	7.4	9.0	9.0	9.0
080D <sup>2)</sup>	(l/min)	14.4	20.4	25.0	28.9	32.3

1) USA: Flow restricted to 1.8 gpm (7.0 l/min)


<sup>&</sup>lt;sup>2)</sup> USA: Flow restricted to 1.8 gpm (7.0 l/min)



## Available in colors

Color 16, Polished chrome

Color 20, Brushed chrome Color 40, Brushed stainless steel





VOLA Charchast	2/3
VOLA SpecSheet	
	Date:
	Client:
	Project:
001	233 mm (2) 338 mm
60 mm circular flange. Hole Ø33 mm.	
070R Hand shower, hand shower with holder to the right and hose with non-return valve.	182 mm 182 mm 23/4"
	130 mm 5" 14

080D 130 mm double head shower. 60 mm cover flange included.

VOLA SpecSheet 3				
	Date:			
	Client:			
	Project:			
800N	570 mm 23"  166 mm 78 mm 78 mm 6 1/2" 3 1/16" 3 1/16"  1/2" 1/2" NPT  68 mm 2 3/4" 1/2" NPT  68 mm 2 3/4" 1/2" NPT  3/4"  032 mm 01 1/4"  032 mm 01 1/4"  031 1/4"			
Two-handle build-in mixer with diverter, including one fixed and one separate outlet socket, 200M. ½" connection to copper, steel, iron or pex				
NR17 Operating handle for 600, 700, 800, 900, 1500, 2800, 2900, S20, S21, S40, S42 incl. variants. Ø40 mm.	38 mm 111/2"			
NR19G Diverter handle for 400 and 800 incl. variants. Ø40 mm. With peg in the same colour as handle(standard).	38 mm 1 1/2"			