

Washstand fitting with electronic opening and closing function without pop-up waste - Chrome Article number: 44 521 809-00



- Infrared sensor technology
- 167 mm projection
- height of mixer 306 mm
- height up to aerator 221 mm
- hole diameter 35 mm
- fixed spout
- max. flow 5.7 l/min
- circular, air-enriched flow
- suitable for thermal disinfection
- Automatic shut-off after pre-set time is reached
- Indirect temperature control (undercounter)
- Control box included
- Adjustable sensor detection range
- Battery or plug-in power supply operated (batteries not included)
- 4x AA (1.5V) batteries required
- lead-free
- 1x screw-in M 8 x 1 pressure hose, leak-tested
- Fittings group as per DIN 4109: 1Batteries not included




Chrome




Washstand fitting with electronic opening and closing function without pop-up waste - Chrome Article number: 44 521 809-00

#### **Dimensional drawing**



All details in mm / inch = mm x 0.0394

#### Flow rate chart





Washstand fitting with electronic opening and closing function without pop-up waste - Chrome Article number: 44 521 809-00

#### Other finish variants



**Brushed Platinum** 

44 521 809-06



Platinum 44 521 809-08



Matte Black

44 521 809-33



Brushed Chrome 44 521 809-93



Matte White 44 521 809-10



Brushed Dark Platinum 44 521 809-99


0

Brushed Durabrass (23kt Gold) 44 521 809-28

Other finishes on request (x-tra Service)



Washstand fitting with electronic opening and closing function without pop-up waste - Chrome Article number: 44 521 809-00



# Spare parts list

No.	Item Number	Name	Quantity used
1	09 29 03 119 90	aerator	1
2	04 30 09 028 00 90	key	1
3	04 30 04 100 00 90	hose	1
4	04 23 10 044 08 90	fixing set	1
5	12 506 970 90	High pressure hoses -	1
6	09 24 03 185-00	nipple	1
7	90 30 50 081 00 90	valve	1
8	90 10 01 247 00 90	valve box	1