

## AXOR Uno

### Electronic basin mixer for concealed installation wall-mounted 160

Surfaces: **Chrome** Article Number: **45110000**



#### Description

##### product features

- projection 161 mm
- normal spray
- flow rate at 3 bar: 5 l/min
- theft-proof aerator
- temperature adjustable via iBox
- infrared sensor technology
- automatic environmental adjustment of infrared sensor
- adjustable optical range of infrared sensor (5 settings)
- 230 V / 50 Hz mains connection
- manual water stop for washbasin cleaning
- for ideal function please note a minimum distance of 140 mm from the aerators center to the back rim of the wash basin
- TÜV certified
- dirt filters in the connection hoses


#### Technology



#### Product image




#### Scale drawing



**AXOR Uno**  
**Electronic basin mixer for concealed installation wall-mounted 160**  
Surfaces: **Chrome** Article Number: **45110000**



## Flowchart




**AXOR Uno**  
**Electronic basin mixer for concealed installation wall-mounted 160**  
Surfaces: **Chrome** Article Number: **45110000**



## Exploded Drawing

Year of production: >04/17



## AXOR Uno

**Electronic basin mixer for concealed installation wall-mounted 160**

Surfaces: **Chrome** Article Number: **45110000**



### Spare part list

Year of production: >04/17

Pos.	Description	Article Number	PC	PU
1	spout 150 mm	93032000	0	1
2	aerator laminar M18x1 (5 l/min)	92896000	0	1
3	special tool	98987000	0	1
4	O-ring 22x1,5	98173000	0	1
5	escutcheon	95943000	0	1
6	O-ring 12x1,5	98430000	0	1
7	electronics	93214000	0	1
8	O-ring 76x2,5	98431000	0	1
9	connecting thread	92449000	0	1
10	O-ring 17x1,5	98137000	0	1
11	O-ring 7x1,5	98422000	0	1
12	transformer	95945000	0	1
13	cable for illumination (12 V)	95586000	0	1
14	escutcheon Ø 170 mm	95946000	0	1
15	sub plate	96447000	0	1
16	set of fixing screws	96454000	0	1
17	set of screws	96525000	0	1
18	control system	93213000	0	1
19	solenoid valve 6 V	96904000	0	1
20	noise reduction	94073000	0	1
21	non return valve (pressure-resistant up to 2 MPa)	92594000	0	1
22	set of non return valves DW 15	94074000	0	1
23	filter packing	95291000	0	1
24	O-ring 16x2	98133000	0	1
25	extension 22 mm (Ø 170 mm)	13596000	0	1
26	extension 25 mm	13594000	0	1
27	set of fixing screws	97747000	0	1
a	concealed item	16180180	0	1